Available online at www.sciencedirect.com
ScienceDirect
Forest Ecology and Management 238 (2007) v–vi
Forest Ecology and Management
www.elsevier.com/locate/foreco

Contents

Reviews

Integrated approach for conservation and management of genetic resources of *Milicia* species in West Africa
D.A. Ofori and J.R. Cobbinah (Kumasi, Ghana) 1

Increasing connectivity in fragmented landscapes: An investigation of evidence for biodiversity gain in woodlands
S. Bailey (Nottingham, UK) 7

The effectiveness of vegetation management practices for prevention and control of bark beetle infestations in coniferous forests of the western and southern United States
C.J. Fettig (Davis, CA, USA), K.D. Klepzig (Pineville, LA, USA), R.F. Billings (College Station, TX, USA), A.S. Munson (Ogden, UT, USA), T.E. Nebeker (Mississippi State, MS, USA), J.F. Negrón (Fort Collins, CO, USA) and J.T. Nowak (Asheville, NC, USA) 24

Regular articles

Prescribed burning and understory composition in a temperate deciduous forest, Ohio, USA
L.S. Glasgow and G.R. Matlack (Athens, OH, USA) 54

Satellite-based radar mapping of British forest age and Net Ecosystem Exchange using ERS tandem coherence
P.M.L. Drezet and S. Quegan (Sheffield, UK) 65

N leaching across European forests: Derivation and validation of empirical relationships using data from intensive monitoring plots
C. van der Salm, W. de Vries, G.J. Reinds (Wageningen, The Netherlands) and N.B. Dise (Manchester, UK and Villanova, PA, USA) 81

Genotypic variation in wood density and growth traits of poplar hybrids at four clonal trials
A. Pliura, S.Y. Zhang (Sainte-Foy, Canada), J. MacKay and J. Bousquet (Université Laval, Canada) 92

Nature-based forest management—Where are we going? Elaborating forest development types in and with practice
J.B. Larsen and A.B. Nielsen (Frederiksberg, Denmark) 107

A merchantable volume system for major pine species in El Salto, Durango (Mexico)
J.J. Corral-Rivas (Durango, Mexico), U. Diéguez-Aranda (Lugo, Spain), S. Corral Rivas (Durango, Mexico) and F. Castedo Dorado (Ponferrada, Spain) 118

Nitrogen budgets for Scots pine and Norway spruce ecosystems 12 and 7 years after the end of long-term fertilisation
S. Ladanai, G.I. Ågren, R. Hyvönen and H. Lundkvist (Uppsala, Sweden) 130

Stand development after different thinnings in two uneven-aged *Picea abies* forests in Sweden
L. Lundqvist (Umea, Sweden), D. Chrimes (Yamabe-Furano, Japan), B. Elfving, T. Mörling and E. Valinger (Umea, Sweden) 141

Estimating water use of sclerophyllous species under East-Mediterranean climate. III. Tabor oak forest sap flow distribution and transpiration
G. Schiller, S. Cohen, E.D. Ungar, Y. Moshe (Bet Dagan, Israel) and N. Herr (Rehovot, Israel) 147

Selection of roosting habitat by forest bats in a diverse forested landscape
R.W. Perry (Hot Springs, AR, USA), R.E. Thill (Nacogdoches, TX, USA) and D.M. Leslie Jr. (Stillwater, OK, USA) 156

Nutrient and carbon budgets in forest soils as decision support in sustainable forest management
C. Akselsson, O. Westling (Göteborg, Sweden), H. Sverdrup (Lund, Sweden) and P. Gundersen (Hørsholm, Denmark) 167

Genotype × environment interactions in selected loblolly and slash pine plantations in the Southeastern United States
B.E. Roth, E.J. Jokela, T.A. Martin, D.A. Huber and T.L. White (Gainesville, FL, USA) 175

Effective height development of four co-occurring species in the gap-phase regeneration of Douglas fir monocultures under nature-oriented conversion
M. Dekker, M. van Breugel and F.J. Sterck (Wageningen, The Netherlands) 189

Changes in stream chemistry associated with insect defoliation in a Pennsylvania hemlock-hardwoods forest
G.P. Lewis (Ithaca, NY, USA and Millbrook, NY, USA) and G.E. Likens (Millbrook, NY, USA) 199

Seed rain, soil seed bank, seed loss and regeneration of *Castanopsis fargesii* (Fagaceae) in a subtropical evergreen broad-leaved forest
X. Du (Beijing, China), Q. Guo (Jamestown, ND, USA), X. Gao and K. Ma (Beijing, China) 212

Impact of soil drought on sap flow and water status of evergreen trees in a tropical monsoon forest in northern Thailand
T. Kume (Fukuoka, Japan and Tokyo, Japan), H. Takizawa (Kanagawa, Japan), N. Yoshifuji (Tokyo, Japan), K. Tanaka (Kanagawa, Japan), C. Tantasirin (Bangkok, Thailand), N. Tanaka and M. Suzuki (Tokyo, Japan) 220

A generalised hybrid process-empirical model for predicting plantation forest growth
R.M. Waterworth, G.P. Richards, C.L. Brack (Acton, Australia and Canberra, Australia) and D.M.W. Evans (Ballajura, Australia) 231

Micro-variations in yellow birch (*Betula alleghaniensis*) growth conditions after patch scarification
P. Gastaldello, J.-C. Ruel and D. Paré (Sainte-Foy, Canada) 244

Carbon sources and sinks in high-elevation spruce–fir forests of the Southeastern US
H. Van Miegroet, P.T. Moore, C.E. Tewksbury (Logan, UT, USA) and N.S. Nicholas (El Portal, CA, USA) 249

Effect of pruning *Acacia mangium* on growth, form and heart rot
C. Beadle, K. Barry (Hobart, Australia), E. Hardiyanto (Palembang, Indonesia and Yogyakarta, Indonesia), R. Irianto (Bogor, Indonesia), Junarto (Palembang, Indonesia), C. Mohammed (Hobart, Australia) and A. Rimbawanto (Yogyakarta, Indonesia) 261
Fuel mass and stand structure after post-fire logging of a severely burned ponderosa pine forest in northeastern Oregon
J.D. McIver (La Grande, OR, USA) and R. Ottmar (Seattle, WA, USA) 268
Response of bird communities to selection harvesting in a northern tolerant hardwood forest
S.B. Holmes and D.G. Pitt (Sault Ste. Marie, Canada) 280
Decay progression and classification in two old-growth forests in Atlantic Canada
L.J. Campbell and C.P. Laroque (New Brunswick, Canada) 293
Acorn defenses to herbivory from insects: Implications for the joint evolution of resistance, tolerance and escape
Z. Xiao (Beijing, China), M.K. Harris (Texas, USA) and Z. Zhang (Beijing, China) 302
Necromass in undisturbed and logged forests in the Brazilian Amazon
M. Palace (Durham, NH, USA), M. Keller (Durham, NH, USA and Rio Piedras, PR, USA), G.P. Asner (Stanford, CA, USA), J.N.M. Silva (Pará, Brazil) and C. Passos (Cuiabá MT, Brazil) 309
The effects of prescribed burning and canopy openness on establishment of two non-native plant species in a deciduous forest, southeast Ohio, USA
L.S. Glasgow and G.R. Matlack (Athens, OH, USA) 319
Field survival and growth of clonal, micropropagated *Eucalyptus marginata* selected for resistance to *Phytophthora cinnamomi*
M.J.C. Stukely, C.E. Crane, J.A. McComb and I.J. Bennett (Western Australia, Australia) 330
Between and within-site comparisons of structural and physiological characteristics and foliar nutrient content of 14 tree species at a wet, fertile site and a dry, infertile site in Panama
D. Craven (New Haven, CT, USA and APO, AA, USA), D. Braden (New Haven, CT, USA), M.S. Ashton (New Haven, CT, USA and APO, AA, USA), G.P. Berlyn (New Haven, CT, USA), M. Wishnie (New Haven, CT, USA and APO, AA, USA) and D. Dent (APO, AA, USA) 335
Distinctiveness of wildfire effects on soil erosion in south-east Australian eucalypt forests assessed in a global context
R.A. Shakesby (Swansea, UK), P.J. Wallbrink (Australia), S.H. Doerr (Swansea, UK), P.M. English (Canberra, Australia), C.J. Chafer (Penrith, Australia), G.S. Humphreys (Sydney, Australia), W.H. Blake (Plymouth, UK) and K.M. Tomkins (Sydney, Australia) 347
Ecological limitations of reduced-impact logging at the smallholder scale
C. Rockwell, K.A. Kainer (Gainesville, FL, USA), N. Marcondes (Acre, Brazil) and C. Baraloto (Gainesville, FL, USA) 365
Using conservation plans and bird monitoring to evaluate ecological effects of management: An example with fuels reduction activities in southwest Oregon
J.D. Alexander (Ashland, OR, USA and Prescott, AZ, USA), N.E. Seavy (Ashland, OR, USA and Gainesville, FL, USA) and P.E. Hosten (Medford, OR, USA) 375

Book review
Nature and Nation. Forests and Development in Peninsular Malaysia
P.S. Ashton (Cambridge, MA, USA) 384